



3
fictions, but are witnessing reasonable reproductions of actual encounters, it may be in order that

1

The pictures represented above, to the left, ^{except the winged creature and other objects excluded,} was photographed at Santos, Brazil, in 1967, by an American tourist. His or her name was not given, but after 12 years it developed that this picture of an obvious other-world invasion was considered fit for publication in the below named magazine. After some thorough scrutiny by Aerial Phenomenon Research Organization (APRO), it was finally released over the temporary title: lenticular cloud formation. But to this author's mind, it would be more in line with the nature of clouds to call them Clouds of Concealment. Since the configuration of the clouds resemble nothing we know to exist on this planet, it follows that there must be an other world involved. If the clouds were formed like smoke rings, it could be argued that air-blasts were the cause. But there is no evidence of that. The shape they exhibit is simply none other than that of the so called flying saucers, with some minor differences in construction and in application of the cloud-like material they exhibit. Incidentally, the material appear to be of a somewhat similar substance as the one the U.S. military aviation-production group is using as a means to confuse the radar in their project called STEALTH. This information is gained from a sketch made ^{for} television in the fall of 1980. It bears mention that a considerable stealthiness was exhibited when the lenticular clouds passed over Santos and it took science years to come out with an answer whose ambiguous meaning would satisfy those who preferred to believe that we, the earthlings, are the only intelligent beings in the universe - although the answer is very questionable in that it is leaving room for an extraterrestrial science to be considered. To consider this, with a sincere desire to know the truth, this abbreviated attempt is dedicated.

Combining four events, as shown above, spanning approxi. 2500 years: By the river Chebar and in the plains, approx. 500 years BC, plus, by two twentieth century events, which have, baffled the scientists, who cared to look into it, and finally the event of combining the widely separated occurrences. This author, being a resident of the city whose newly constructed 'landmark' ^{below} is the center of the picture above, have found it suitable to depict the phenomena as shown. The pier being in the process of re-building ^{it} when in 1968 this artist became a resident and eventually came to see a background for an ancient arial display combined with modern arial realities. The background for the arial objects represent a comparatively recent development. It celebrated its centennial in 1980. It is the city of St. Petersburg, at Tampa bay, approx. 1980 years after the birth of Christ, whose miraculous conception, he is reputed to owe his outstanding being to, was simply due to the same unnatural conception that was accredited the Roman emperors, whom, it was claimed, according to an ancient belief, was conceived by divine impregnation. It was therefore only natural to claim the same for Christ - who was in fact seen ascending heavenward as far as into a cloud. Acts 1,9.

It bears mention that where and when the photograph was taken of the UFO, represented in two poses above to the right, namely the flying saucer with an inverted flame-like effusion of steam underneath it, was not revealed in the OMNI magazine in the January 1979 issue.

* It was witnessed by the apostles, and some time later he revealed himself to Saul, who was struck blind by a strong light from on high. Interpreting the incidents in the light of modern science and technology, the answer to the source of light is evident. ^{the}

The pictures represented above, to the left, ^{except the winged creature and other objects excluded,} was photographed at Santos, Brazil, in 1967, by an American tourist. His or her name was not given, but after 12 years it developed that this picture of an obvious other-world invasion was considered fit for publication in the below named magazine. After some thorough scrutiny by Aerial Phenomenon Research Organization (APRO), it was finally released over the temporary title: lenticular cloud formation. But to this author's mind, it would be more in line with the nature of clouds to call them Clouds of Concealment. Since the configuration of the clouds resemble nothing we know to exist on this planet, it follows that there must be an other world involved. If the clouds were formed like smoke rings, it could be argued that air-blasts were the cause. But there is no evidence of that. The shape they exhibit is simply none other than that of the so called flying saucers, with some minor differences in construction and in application of the cloud-like material they exhibit. Incidentally, the material appear to be of a somewhat similar substance as the one the U.S. military aviation-production group is using as a means to confuse the radar in their project called STEALTH. This information is gained from a sketch made ^{for} ~~on~~ television in the fall of 1980. It bears mention that a considerable stealthiness was exhibited when the lenticular clouds passed over Santos and it took science years to come out with an answer whose ambiguous meaning would satisfy those who preferred to believe that we, the earthlings, are the only intelligent beings in the universe - although the answer is very questionable in that it is leaving room for an extraterrestrial science to be considered. To consider this, with a sincere desire to know the truth, this abbreviated attempt is dedicated.

Combining four events, as shown above, spanning approx. 2500 years: By the river Chebar and in the plains, approx. 500 years BC, plus, by two twentieth century events, which have, baffled the scientists, who cared to look into it, and finally the event of combining the widely separated occurrences. This author, being a resident of the city whose newly constructed 'landmark' ^{below} is the center of the picture above, have found it suitable to depict the phenomena as shown. The pier being in the process of re-building ^{it} when in 1968 this artist became a resident and eventually came to see a background for an ancient arial display combined with modern arial realities. The background for the arial objects represent a comparatively recent development. It celebrated its centennial in 1980. It is the city of St. Petersburg, at Tampa bay, approx. 1980 years after the birth of Christ, whose miraculous conception, he is reputed to owe his outstanding being to, was simply due to the same un-natural conception that was accredited the Roman emperors, whom, it was claimed, according to an ancient belief, was conceived by divine impregnation. It was therefore only natural to claim the same for Christ - who was in fact seen ^{*} ascending heaven-ward as far as into a cloud. Acts 1,9.

It bears mention that where and when the photograph was taken of the UFO, represented in two poses above to the right, namely the flying saucer with an inverted flame-like effusion of steam underneath it, was not revealed in the OMNI magazine in the January 1979 issue.

* It was witnessed by the apostles, and some time later he revealed himself to Saul, who was struck blind by a strong light from on high. Interpreting the incidents in the light of modern science and technology, the answer to the source of light is evident.

The pictures represented above, in particular to the left, was photographed at Santos, Brazil, in 1967, by an American tourist. His or her name was not given, but after 12 years it developed that the picture was considered fit for publication in the below named magazine. After some thorough scrutiny by Aerial Phenomenon Research Organization (APRO), it was finally released under the name of 'lenticular cloud formations'. But to the author's mind, it would be more in line with the nature of clouds to call them 'Clouds of Concealment'. Since the configuration of the clouds resemble nothing we know to exist on this earth, it follows that there must be something other than the air blast, that may result in smoke rings, to give them the characteristic shapes they exhibit — the shape they exhibit is simply none other than that of the so called flying saucers, with some minor differences in construction and in application of the cloud-like material they exhibit. Incidentally, the material appear to be of a somewhat similar substance as that which the U.S. military aviation group is using as a means to confuse the radar in their project they call STEALTH.

While contemplating the word stealth, it bears mention that a considerable stealthiness was exhibited when the lenticular clouds passed over Santos, Brazil, and it took science 12 years to come out with an answer -- although I believe they did it against their better judgment.

Combining two events, as shown above, spanning approx. 2500 years:

By the river Chebar, approx. 500 BC, plus by the city of St Petersburg, at Tampa bay, approx. 1980+x years after the birth of Christ, whose miraculous conception, he was reputed to owe his life to, was simply the same conception that was accredited the Roman emperors, whom, it was claimed, owed also their existence to divinity.

It bears also mention that the location and the time the photograph was taken of the UFO, represented, by drawings, in the above, to the right, namely the two flying saucers with flame-like effusions of steam underneath them, was not revealed in the OMNI magazine in the January 1979 issue.

Neither was the name of the photographer given, and absolutely no nothing was mentioned about the picture - although to the mind of this writer, the picture represent the most revealing aspect of the object's means of flight into airless space - not by any effect of thrust the steam may have, but by the effect of an inverted field of gravity that forces the steam to go downward in place of upwards, where it normally would go. The picture is on page 12 of said magazine while the picture of the lenticular clouds is on page 32. As for the rest of the flying objects, it is my contention that it is a near likeness of what is described in the Bible. Contrary to the prevailing belief that it may stem from hallucinatory visions, it has been clear to me, from well into the twentieth century, after some personal experiences, plus after developments in electronics, that it was a matter of real experiences.

In view of this old event, depicted partly in the above, where the lower part of a cloud is revealed with some tell tale mechanical objects that has been made to emerge from deep within the cloud - or more to the point - from their stationary gimbals deep within the craft, it becomes more evident that we are not dealing in hallucinations. The conically shaped appendage of the cloud have, in my judgment, a flame-like exterior that is made of fibre that may be illuminated with amber colored lights that will make it appear as if it is a fire that infold itself - plus the 'living creatures' which are of a size that accommodate a human operator, a man or a woman, whose feet are placed inside where the heel of the mechanical creature would be and whose body, arms and head is concealed within the body-structure of creature which is fitted out with television camera eyes - front and back - besides on its wings and hands - for to make operator aware of the things going on around him or herself. The four faces serve as ornaments and as identification and in their heads house the principal elements, or the devices, for the ascension of the whole * unit. The wings serve, as such, only while in the atmosphere, but may nevertheless serve when in space. The question about entry and exit of operators is a technical one which may be answered by referring to Ez. 1, 11 when the creatures covered their bodies with their wings, even as it is shown above ^{on the inverted pier-pyramid}. During such a pose, opening of parts of bodies and legs, for exchange of the guard, will be no cause for embarrassment. The wheel within a wheel, Ez. 1, 16, this artist and inventor take to be an ideal arrangement for giving the inertial properties of the wheel's gyrating inner members free play when it is operating on the ground. This outer wheel, or ring, goes around what appears to be a more substantial wheel. The ring serve the purpose the ^{treads} tracks of a tank does. But it is all the more essential when the wheel within a wheel is working in the place it is made for - - namely in its gimbal aboard the craft, and, when the inner wheel's members are gyrating with a force that will give it the inertial stability one would have in a gyro-stabilizer of a great ocean-liner. This stability may however be overcome by the ^{inertial} compensators one sees as small spheres on the outside of the wheel shown.

Since, according to the evidence given in the above, ^{we} are not dealing in science

* There may be other points about the creature that serve the purpose of housing ^{the} inertial stability gear plus - - but the four heads of the creature are however the principal points to place the G force generators. The wings ^{and tail} may serve as containers of fuels, etc. - in a

⊗ It may of course be argued that the down-ward trend of the steam does not prove anything. What appears to be steam could be an artificially cooled gas that has been forced to go against an inverted field of gravity. Before any solution to the problem be sought, it would be advantageous to consider that we are here dealing with an extraterrestrial mind whose intention is not to reveal the basic secrets involved - but merely giving some encouraging hints to satisfy the terrestrial mind pondering the problem. It is in fact important that we consider an extraterrestrial intelligence before we attempt to solve many of the UFO phenomena - that includes the many unsolved cases.

fictions, but are witnessing reasonable reproductions of actual encounters, it may be in order that we conjecture on the source of power and its application in the medium here offered, namely the wheels Ezekiel describe. (there may be other ways available, but, for the purpose of demonstration, the extraterrestrials choosed steam to indicate the phenomenon of the field of G forces the wheels generated). Since there is all the evidence, in the Old and the New Testament, to substantiate my belief that steam power played ^a big role, it follows that there was means for generating steam - it is presumed by atomic means - ^{the latter part of} the ~~whole~~ era of Moses was indicative of evidence of that. ^{Except for such advanced means, how could the extraterrestrials reach the earth and return & repeat the performance again and again?} With respect to the wheel, the steam was conveyed to the gimbal which in turn let it through ^{within the wheel} into the two specially constructed radial turbines - which may operate independently when detached from the gimbal - being fueled as a turbo-jet. In this manner, the 'wheel' will sustain operation without steam and may generate electricity during the while --- when it is not required to generate G forces, which may be directed towards any point in the universe. Thus we see how the root of David was accorded transportation to the vicinity of the morning star --- from whence his return is expected, Acts 1, 10. Rev. 22, 16.

Part of the fore-going is taken from the account of the milleniums old matter in the first and the tenth chapter of Ezekiel -- which, of course, has been supplemented with 20th century technical facts - plus some relevant inspirations that appear to have been gained thru telepathy, the basic one dating back half a century - or to 1934.

The wheel hovering above the creature to the right; the two creatures pointing with hands mechanical in the directions of: this explanatory essay; the so called lenticular cloud in the upper left; the location chosen to have the creatures and the wheels settle down - if only as a styreo-foame sculpture attraction - and last, but not least, the creature pointing with its left hand towards the flying object with steam coming from under it - the one that left science dumbfounded, but which this author take to be the most revealing one of all I have seen in 35 years - all of these flying objects came from, in this writer's belief, from the solar system the offspring of David journeyed to, after his ascension to within a cloud, Acts 1, 9, but he waited 40 days, plus years in the atmosphere, till he got Saul of Tarsus, his enemy from way back, converted and let him use his theologic theories to establish a basis for christianity. A century AD, the root of David, Rev. 22, 16, paid his particular ^{*} friend a visit, Rev. 1, 12, while he also left a message for his churches in Asia Minor.

The wheels shown here, plus the living creatures performing various prescribed deeds, plus the conspicuously and conically formed appeanaece of fire, with the colour of amber, which would give the appearance of a tornado, except for 'the glow of the fire', plus the over-head cloud that may be named a cloud in the sense that the clouds that were photographed in South America were clouds, in which there were concealed crafts of great capacities, that even in our day and age may well be

* It was the son of the first King of Israel, the heir to the throne, namely Jonathan who had been killed in battle while his father, being wounded by an arrow, choosed to fall on his sword rather than die at the hands of the enemy.

considered enormous, are all taken literally from the Biblical account, which could hardly have been interpreted literally till the time in the twentieth century when the various elements Ezekiel described was finally evidenced as matters of fact, including ^{Such as the 'fire' with the color of amber and the wheels with the color of a byrol stone - which was caused by colored light reflections. For a twentieth century example of clouds, we have} - such as the lenticular clouds which concealed objects even as the clouds, and their inner parts, moved hastily over Santos. Similar clouds have been photographed in various places of the world: such as in Powys*, Wales, which was published in OMNI Dec. 1979, and the one published in the May 1980 issue, in which it was stated in a short inscription: "Lenticular clouds, such as this one near Mount McKinly, are Key sources of UFO misperceptions" - still, nothing was mentioned about what it was that was misperceived. (In speculation,

The flying objects with the appearance of steam underneath is an other evidence of extra-terrestrial power, the same as what Ezekiel saw. The fire that had the colour of amber had to await the day when electric lights were available, on earth, before it would allow a literal interpretation; so would the eyes of the creatures and of the wheels need to await the day of electronics and television before a reasonable interpretation would be possible. It would in fact be necessary to await the many technological inventions before interpreting the 2500 years old experience, which Ezekiel found expedient to call visions.

The lenticular clouds in the upper left and the flying saucers to the right are all objects which have been copied from photographs of the matter since 1979. It is assumed that all of these objects, the ones from Ezekiel's time together with the ones of a recent date, are borne aloft and made to ascend by powers generated in objects such ^{as} the wheel, as well as in much smaller versions - in fact, so small that they could easily be concealed under clothes, such as are worn in the Middle-East, of one who desired to ascend as far as into a cloud. This power may manifest its side-effects on occasion. Ordinarily there would be no occasion for showing off the phenomenon, but for the sake of the photographer, who would get the image the extraterrestrials would impress on the parties concerned, the steam was made to escape and form the outline of the field of the G-forces generated.

As is shown underneath the flying saucers, here portrayed, the substance or steam coming from the body of the object, forms an apparent outline of the field of the artificially generated gravity. It is assumed that the flame-like configuration of the exhaust steam represent the limit of the otherwise invisible form of the field of the G-force - which in this case has been inverted and is bearing up the crafts and in an instant can be increased many times over so that the result will be a nearly instant disappearance from sight of the objects under the influence of the inverted, or otherwise directed, fields of artificial generated gravity. *

It is a lenticular cloud framed, in the fore-ground, by a pitch black cloud. It is mentioned in the short inscription that "it has inspired many UFO reports". It would appear that it amounts to a gigantic hoax, but when looked at from my point of view, it could indeed be explained - which I have already done in a manuscript entitled: Clouds of Concealment.

Alias: Nesna-it-sirhc Nov. 11th 1981

On the reason for the 'misperceptions', it has occurred to me that possibly the misalignment of the successive layers of the otherwise geometrically precise lenticular cloud formations was the reason. It could of course not be admitted publicly that extraterrestrials were involved, even if it was suspected, and that they had constructed the cloud thus - on purpose. Apparently, these closely related humans have evolved with a keener sense of reading our minds than we have - (Through Telepathy.)

Periodic Classification of the Elements

	I	II	III	IV	V	VI	VII	VIII & O
I	1 H 1.0078							2 He 4.002
2	3 Li 6.94	4 Be 9.02	5 B 10.82	6 C 12.00	7 N 14.008	8 O 16.00	9 F 19.0	10 Ne 20.183
3	11 Na 22.997	12 Mg 24.32	13 Al 26.97	14 Si 28.06	15 P 31.02	16 S 32.06	17 Cl 35.457	18 A 39.94
4	19 K 39.096	20 Ca 40.08	21 Sc 45.10	22 Ti 47.90	23 V 50.95	24 Cr 52.01	25 Mn 54.93	26 Fe 55.84
		29 Cu 63.57	30 Zn 65.38	31 Ga 69.72	32 Ge 72.60	33 As 74.91	34 Se 78.96	35 Br 79.92
5	37 Rb 85.44	38 Sr 87.63	39 Yt 88.92	40 Zr 91.22	41 Cb 92.91	42 Mo 96.0	43 Ma 98.995	44 Ru 101.7
		47 Ag 107.88	48 Cd 112.41	49 In 114.76	50 Sn 118.70	51 Sb 121.76	52 Te 127.01	53 I 126.92
6	55 Cs 132.91	56 Ba 137.36	Rare Earths	72 Hf 178.6	73 Ta 181.4	74 W 184.00	75 Re 186.31	76 Os 191.5
		79 Au 197.2	80 Hg 200.61	81 Tl 204.39	82 Pb 207.22	83 Bi 209.0	84 Po 210.0	85 Ab 221.0
7	87 Va 224.0	88 Ra 225.97	89 Ac 227.7	90 Th 232.12	91 Pa 234.0	92 U 238.14		

Rare Earths							
57 La 138.92	58 Ce 140.13	59 Pr 140.92	60 Nd 144.27	61 Li 146.00	62 Sa 150.43	63 Eu 152.0	64 Gd 157.3
65 Tb 159.20	66 Dy 162.46	67 Ho 163.5	68 Er 167.64	69 Tm 169.40	70 Yb 173.04	71 Lu 175.0	

Copied and drawn
by D. Christensen
possibly 1938

General claimable features: A roller bearing where in all rolling and rotating members are held in a rigid parallel and concentric position, by a method involving only rolling contact friction.

A bearing whose principal claimed feature lies with the application of a certain principle of differential motion, for spacing and holding the rollers in a parallel position, with respect to axis of bearing. The principle being applicable to both conical and cylindrical rollers, with definite possibilities for ball bearings as well. As for the supplementary claimed features, they may rank as follows. 1. Knuckular flanges on respective bearing members, for axial location of same, and additional claims for the method by which assembly of the respective members are facilitated. 2. A general claim for the application of a principle of centrifugal force, to effect a grit proof lubrication system of the bearing, which comprises several sub-claims. 3. A claim with sub-claims for means by which the knuckular flanges are protected from possible excessive axial impacts. 4. Claim with sub-claims for improved means for effecting a water and grit proof external packing, employing centrifugal force to repel grit particles. 5. Claims for the manner in which the several claimed features and their parts are correlated and work in conjunction with the parts of other claimed features. 6. A possible claim for the manner in which the housing is built. 7. Claims for a rubber medium for axial alignment. To favor the bearing from strain due to uneven distribution of weight, a conventional spherical self alignment form is employed, only to avoid frictional sliding between spherical housing and spherical socket, and to eliminate necessity for lubrication of same, a thick rubber belt, when placed between housing and bed, will yield to quite a strenuous torque without any slippage on its contact surfaces, and yet without absorbing any considerable amount of energy, as the resiliency of rubber gives back most of the energy it absorbs. Also an alignment medium of rubber will serve as a shock absorber and vibration damper as well. The rubber may be protected from oil by a wrapping of heavy oil cloth.
















Radial bearing, concentric collar located with inner sleeve. Centers of spacing rollers in line with centers of adjacent rollers. To keep spacing rollers from falling out of line, a ring is placed as shown.

Radial bearing, concentric collar located with inner sleeve. Centers of spacing rollers in line with centers of adjacent rollers. To keep spacing rollers from falling out of line, a ring is placed as shown.

Radial Bearing. Concentric collar stationary with outer sleeve. Axial load being transmitted from inner sleeve abutment to collar by friction.

Concenter collar located with inner sleeve by means of a creeping ball ball bearing, to eliminate the necessity for extreme accuracy of ratio of roller diameters.

Also serving the same purpose, but in a simpler form, is the idea as represented on the left side of drawing, where the concenter collar is located with inner sleeve, by a lubricated sliding fit.



This table has been executed, drawings and descriptions, by Daniel Christiansen during the months of May and June in the Year of 1939. Most of the details contained here in have been selected from ideas conceived by this writer during the past one year and a half, of which the basic idea, namely the differential motion system of spacing the rollers, was conceived at a date as early as February the 2nd 1938.

and the supplementary idea of knuckular thrust flanges, effecting a near frictionless thrust capacity, was conceived at a date as early as Nov. 15th 1937. Where as the ideas of oil evacuation and filtration through centrifugal force, was conceived at a date as late as May the 10th 1938. Also the ideas of corrugated rings for excess thrust yield, working in conjunction with the oiling system was conceived as late as July 1st 1938. The above data has been written by the undersigned, on June the 30th 1939.

Daniel Christiansen

Simple radial bearing, with spacing roller race collar (concenter collar) stationary with respect to inner bearing member (inner sleeve).

The spacing rollers are inter posed at a point some what out side the line that lies between the centers of the two rollers adjacent to a spacing roller, to prevent spacing rollers from falling in towards center of bearing

Simple radial bearing, with concentric collar stationary with respect to outer sleeve.

The reservoir being an annular cavity about the middle of the housings inside.

As for the corrugated rings, they also serve as springs, that yield to excess axial load or impact, thereby transferring excess load from the knuckular flanges, to on outer frictional flange, which in turn gets instant lubrication by its light squeeze against an oil soaked comb. felt and cotton washer, embedded on the outer ends of the housing.

This washer in turn serve as a grit and water proof packing between the housing and the rotating external flange.

The angular velocity of the oil particles, on the washers surface, is set up by the rotating external flanges, will be checked by that part of the washer which is extending beyond and about the rotating external flange.

Also the absorbency of the cotton behind the felt surface of the washer, will retain the oil and check leakage from same.

For a constant supply of oil for external packing a cotton wick connecting washer and oil reservoir, may serve as a medium. A light spring when placed behind washer, will insure a lasting snug fit betw. washer & flange

Radial Bearing. Concentric collar located with outer sleeve through a creeping ball bearing, or by means of a loose or sliding fit.

Comb. radial & thrust bearing. All rolling and rotating members located axially, through spherical or knuckular flanges, overlapping and contacting each other at a point coincident with the line of roller contact.

The rollers are spaced and held positively parallel with the axis of the bearing, by rolling contact, with spacing rollers positioned between the rollers. The spacing rollers extends beyond the length of the rollers, ending up into bosses of a certain proportional increased diameter, so that the surface speed of the spacing rollers will be increased, to meet the increased surface speed of collarlike extensions of the inner sleeve. Said extensions have about their outer circumference axially projecting rims which inner surfaces constitute a spacing roller race, that engage bosses of spacing rollers on their outer sides. In effect constituting a system of differential motion, based on the principle, that the spin of spacing rollers and inner sleeve is in the same direction, and further that by flange like extensions of inner sleeve and spacing rollers, (concenter collars and bosses respectively) the surface speed of concenter collars and the relative surface speed of bosses will coincide at a certain determinable radial distance from the axis of the bearing.

Bearing members located axially by means of knuckular flanges, overlapping and contacting each other, at a point coincident with the line of roller contact, thus effecting a nearly frictionless thrust capacity.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.



































Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.


Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.

Alternative type; comb. radial and thrust bearing, with spherical thrust flanges formed on the ends of rollers, and with a split outer sleeve, and inverted thrust flanges of outer bearing member, as two semi circular sleeves segments clasped about split outer sleeve. However the idea as contained in fig 3 & 5 is recommended, where the outer bearing member is in four parts, as two solid sleeves for radial load and two semi circular ring segments with inverted knuckular flanges for axial load. The two solid outer sleeves being pushed over the rollers from each end of the bearing, engaging and locking the two semi circular ring segments by corresponding rabbits on ring and sleeves.



Railroad application of the
Roller Bearing



Daniel Christiansen
April the 15th 1939







BR. COLUMBIA

YUKON

MACKENZIE

ALBERTA

SASKATCHEWAN

KEEWATIN

MANITOBA

ONTARIO

QUEBEC

GUATEMALA

HONDURAS

CUBA





Canton
HONG KONG

MARSHALL IS.

GILBERT IS.

NEW
GUINEA

New Britain

NEW HEBRIDES

New Caledonia

BORNEO

CELEBES

SUMATRA

JAVA

A U S T R A L I A

Darwin

Sydney

Melbourne

Hobart

Albany

(6) my of the reasons for Nadya's attitude towards me was that I didn't get her
wish to go on a mission to Hawaii the year 1966, after she had heard me say it was on the
Zem - but I was not of doing that, set down as well I had been made of her
approach to a subject that I must clear away to the height of what you
for at you better. Her then was in the display certain artificial

Flying saucer 1967 it was 20 years since the word flying saucer had been
in connection with the 9 flying disc or flying objects
by Kenneth Arnold flying over the Cascade mountain range in Washington state. In 1967 was
also the time that certain clouds were seen and photos took by an American tourist who
were seeing flying saucers. These flying objects were called disc-like clouds by Royal
Phenomena Research Organisation and was reported in the GNR. Many years ago I got them when
I have drawn a likeness of the phenomenon, as it was photographed in the air - but I
I have shown it in my drawing as if the air was located here over St. Petersburg, showing the
disc as the center of picture and calling the drawing Herald of an event to be. To my mind
there was all the reason in the world to show the phenomenon rather than centered on the most
constructed in current opinion - which was founded in 1973 - and revised in 1988

was the hypothesis - doesn't sound like it - but all the time speaking
me to the eye for the eye - (I don't know what you mean by that) - but I don't know what I could not
need the simple things (but I don't know what you mean by that) - but I don't know what I could not
and he is in the way. It is no other about how people seem to know some things. I don't know what I could not
I know the feeling the world is not been given up to you but by the

TRYKSAGER/IMPRIMÉS

Seivklæbende lukke

Elmer's og Bodils answer to
request to Dane brog's Oprindelse
Hobro d. 8-6-1980

og 800 :

But for Eva og Thers
med religiøs hofte
med spjænt og hæn for (Brosen) under.

Friends of Robert, Kathy Briggs

434 8th Ave S.

St Petersburg Fla. 33701

phone: 822-9395

Letter from Gaffney

12-2-1980

Letter from Eva og Thers. Hobro Nov. 15th 1977

with an additional printed * what Dr. Olesen said.

DANSK BOGFORLAG

BØRSTENBINDERVEJ 4

POSTBOX 770



5230 ODENSE M

DENMARK

1973 Fedtidsdag greetings

from Eva, Thers, Elmer og Bodil and Ina and Jes



M
DANIEL CHRISTIANSEN
712 - 88 TH AVE N
ST PETERSBURG FLORIDA
U S A

Eftersendes ikke

ved vedvarende adresseforandringer men til-
bagesendes med oplysning om ny adresse.

ABEN FORSENDELSE - ENVOI NON CLOS

Kan åbnes ved postvæsenets portokontrol og tilklæbes igen
Peut être soulevé et remplacé pour contrôle postal

TRYKLET ®



PRESENT

VETERANS ADMINISTRATION MEDICAL CENTER

BAY PINES, FLA.



FUTURE






Touch-down of The Tampa Bay Tornado! (Transcendental physic)

An extraterrestrial visitation by an identifiable flying object, treated at some length in the scriptures of old, when the son of man claims he had a like visitation twice - once at the river Chebar and then again out in the plains, as he again saw what appears to be on the order of what is represented in the above - barring, of course, the pier and the many twentieth ~~vehicles~~ century vehicles, together with other construction of a late date. From the account it appears that the visitation took place in the night-time as lamps or lanterns were let down from and hoisted up into the overhead cloud, incidentally, which appeared to be on fire. The author therefore take the liberty to disclose the millenniums old apparition as it would appear in the daytime. That such a visitation actually could take place herein St. Petersburg in the near future is believable when considering that a related extraterrestrial event took place only a few hundred miles from here at the city of Mobile Alabama in connection with the shooting of the movie Close Encounter of the Third Kind, for a period of the duration of the filming. Daniel Christiansen, March 1981.

A Trone may produced in no time and angles, like humpty, may emerge.

For landing and ^{balancing} ~~boasting~~ Craft,

The wheels will, when desired, levitate the whole craft - as it is reported



measures like these shown

may be taken. Despite

its size and heavy weight,

The land like craft may come to

to secure rest, as shown. The numerous spin-

ning wheel wheel with -

In the craft will keep it steady.

The U.F.O. does. It is about time that

some one besides myself

believe in the U.F.O. The measure

here indicated is of course most

likely place in the craft in

Brazil. In less than 5 minutes

The craft could be secured

Disse fly over the various and the antage of the flyer do the distance for the point. But it is not at the same time



Cal Sagam

The Jewish astronomer

said that he believed there

Let Elmer and Bodil & their children see this.

Let the many civilization

know galaxy more advanced

know galaxy more advanced
Spin in space




Jan. 17 - 1865
Daniel Christy



Ampe
April 1947







July 17-1981

AN EXPERIMENTAL GEOMETRIC DESIGN, DESIGNED
IN AN ATTEMPT AT DETERMINATION OF CERTAIN POS-
SIBLE MATHEMATICAL INTERRELATIONSHIP EXISTING
IN THE PATTERN ARRIVED AT HERE ON OTHER SIDE. IT MAY
FOR INSTANCE BE OBSERVED THAT CERTAIN INTERCONNECTING
LINES INTERSECT AT POINTS COINCIDENT WITH INTER-
SECTIONS OF LINES OF THE BASIC SQUARE PATTERN.





Sunday November 14-1965
Reinal Vesnaitis








Sat. Nov. 13 - 1965 -
Reinas Vesniškis



January 11 - 1964
Hiram Christensen



January 11 - 1965
David Christian








Presidential Progress
D.S.C.-02
Daniel J. Christie 6-1947
1946
Signed and dated 14, 31-1991





An Apparition
in
The Tampa Bay Obsession
July 7-1977
Daniel S. Christian
Alias: Ampel,
Karna J. Sirka

About 10 years ago, when in N. Plainfield N.J., I was working on the above biblical theme, it seemed to me then, as it had for about 25 centuries, since the matter had been observed and recorded by the prophet Ezekiel, that a likely title for the apparent phenomenon should be "Cloud of Concealment". Now, however, since the cloud no longer is there to act as a screen of obscuration, but is turned off, leaving the telescopically retractable spotlights in action - for to illuminate with the appropriate color - in this case amber color - what supposedly lurked in and behind the cloud, the title for the now evident occultation could well be: "The Cloud of Revelation". Since the cloud no longer conceals the matter, but is turned on and off at will, even as an engineer of steam locomotives, or the helmsman of a giant ocean liner of old, turned on a cloud in the process of following a whirling or otherwise in executing a salute, so also may the cloud formation be executed in the above theme, but with a significant difference. Due to the gravity generating actions of the wheels - that is, the four wheels detached, plus the wheels attached to the cherubim plus the wheels attached to the upper structure - an inversion of the normal earth gravity is set up and within the field of its effect the cloud or vapors will sink downwards instead of upwards, as it normally would, and the amber colored light playing on the cloud will make it appear as a fire.


The popularity of the nude at this period was not only aesthetic: the professional models were among the few live subjects capable of holding a pose for the required five to ten minutes. The innovation of faster photographic techniques did not, however, lessen their popularity. Such artists as Ingres, Courbet, and Delacroix were quick to appreciate the value of the photographed nude. Poses ordered (and often directed) by them were done regularly by such early Parisian photographers as Nadar and Durieu. The camera could capture poses too difficult for the model to hold for long, and a series of different poses could reveal unexpected possibilities. In addition, model fees could be minimized. The models themselves, who were often prostitutes, found that an artfully posed figure study was an enticing form of advertising, a realization that has endured in modified form to this day.


In Victorian England the bond between photography and art was not so close or fruitful as in France. In London there was no close coterie of photogra-






Ampel
April 1947










A likeness of a Tornado at Tampa bay! = Transcendental
old wind came out of the north, a great cloud, and a fire infolding it.
mess of four living creatures. And This was their appearance; They had t
ted at some length in the scriptures of old. when the son of man claims he had




ness was about it, and out of the midst ~~of~~ thereof as the color of amber, cu
man. Verse 6: And every one had four faces, and every one had four wings. Th











Dated Discourse in D

8a

9d





















it seemed to me then, as it had for about 25 centuries, since the matter



















ves over the hangar where the movie was shot - and it had some
about a year after the shooting of the picture, among a ^{man} horn was
which after being the cause of at least half a dozen heavy rain storms
and strong winds associated with the repeated cascades for the dura-
are presumably hoisted up and into the cloud, which, it is also assumed, ~~is~~
ney, the four living creatures and the four wheels. The four wheels, it


Daniel Christiansen - alias - Nesna-it-sirhe.



Much of the above was so constructed according to the special scale and put in the place mentioned not later than May 1963. Nothing has been added to display since then. One reason: During the while it dawned on author that no matter how much effort spent on completing the project, the space available for display would not

allow the sidewise expansion needed for completion. Another reason: The task of working out, by hand, the remaining limited facilities, and, in spare time, was temporarily discouraging.

Invariable Proportion & Projection Aid!



in
der-
e cre-
r of ave-
ody and up-
position rela-
hip, knee, and
bove drawing made

P.
Tho
adder
reason:
on author
effort spe
ect, the space



An Apparition
or
The Tampa Bay Observation


July 7 - 1977


Daniel J. Christiansen


Alias: Ampel,


Nesna St. Kirche


















capacitor.












Radial
Conce
locate
sleeve
creep
bearing
mean
or slide






Differential Motion



Spacing Roller Bearing.

of other
 possible
 in which
 Claims
 for axi-
 the be-
 to
 eight,

heri-
 mate
 of same,
 placed
 ed, will
 ous Tor
 e on its
 jet with-
 nderable
 he resi-
 back





Radial Bearing.




ve, by a lubricated sliding fit.

er-
sleeve.
in
jacent
ing
of
is
down




ated with
of a creeping
minate the
accuracy
meters.



urpose, but in
as represented
ng, where the
with in an




...LULL as may be 10/11/38. Also the ideas of
...eild, working in conjunction with the oiling sys
738. The above data has been written by the unc





from falling in towards center of bearing





Sim
cone
with














[The text in this section is heavily obscured by horizontal black lines, making it illegible.]

[The text in this section is also obscured by horizontal black lines, making it illegible.]



